




Autonomous Vehicle Simulation Support in Chrono




Connected Autonomous Vehicle Emulator

- Connected Autonomous Vehicle Emulator (CAVE)
 - Connected – simulated connectivity, V2V
 - Autonomous – Chrono sensors
 - Vehicle – Chrono vehicle support
 - Emulator – virtual world support
- Chrono::CAVE




Server and Client

- Distributed Simulation
 - Server in Madison
 - Clients anywhere in world
- Server does not handle any physics
- Server passes agent and world data to Clients
- Clients pass agent data to Server




Server and Client

- Heartbeat
 - Agents must be able to reach next “real-world time” marker within a ΔT amount of computational time
 - “real-world time” marker are δt apart
 - ΔT called heartbeat
 - Fast agents sleep
- Interactive time for human agents
 - Soft real time
- Agents to play in Server
 - Autonomous vehicles
 - Avatar vehicles
 - Avatar pedestrians
 - Bicyclists



Simulating Connectivity in Chrono

- Simulated Connectivity
 - Vehicles send data directly to nearby agents
 - V2V communication
- Draws on a *Dedicated Short Range Communication* (DSRC) protocol



Sensor Support in Chrono

- Need to be able to simulate sensing
 - LiDAR
 - Sensor implemented without noise
 - Uses collision detection to determine ray length
 - GPS
 - Barebones sensor implemented
 - IMU
 - Barebones sensor implemented
 - Camera
 - Not currently supported, but next in line
 - Dependent on render engine

Sensor Construction (LiDAR)

```

//In simulation setup
std::shared_ptr<ChRaySensor> lidar = std::make_shared<ChRaySensor>(
    //parent body, update rate, visualize
    my_hmmwv.GetChassis()->GetBody(), 30, true);

lidar->Initialize(chrono::ChCoordsys<double>(
    //offset position
    chrono::ChVector<double>({2.3, 0, 0}),
    //offset orientation
    chrono::ChQuaternion<double>(Q_from_NasaAngles({0, 0, 0}))),
    //samples about y, samples about z, y min/max angle,
    //z min/max angle, min dist, max dist
    1, 100, 0, 0, -1.5, 1.5, .2, 25);

//During simulation loop
lidar->Update();


//To Get Data
lidar->Ranges(); //returns vector containing distance for each ray

```

Virtual World

- Madison mesh in Chrono from Infraworks/Open Street Maps
- Future Virtual World
 - Based on physical world
 - Buildings, trees, terrain, signs, etc.
 - Environmental effects
 - Rain, snow, ice, fog, etc.

CAVE Demonstration



Future Work

- Server
 - Heartbeat to mandate consistent simulation progression
 - Scaling to allow multi-agent connectivity
- Sensors
 - Expanded sensor capabilities as a module for feedback in Chrono
 - Camera
 - Physically realistic noise models
- Virtual World
 - Physically realistic virtual world
 - Chunk loading management in Chrono
 - Environmental effects